BRAIN RESEARCH

VOL. 702 NOS. 1,2 **CONTENTS** **8 DECEMBER 1995**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Research reports

Characterization of axonal ultrastructural pathology following experimental spinal cord compression injury
D.L. Anthes, E. Theriault and C.H. Tator (Canada) 1

Effects of HSV-1, a neurotropic virus, on the hypothalamic-pituitary-adrenocortical axis in rats
T. Ben-Hur, N. Conforti, A. Itzik and J. Weidenfeld (Israel) 17

The exogenous control of transfected c-*fos* gene expression and angiogenesis in cells implanted into the rat brain
K. Asakuno, M. Isono, Y. Wakabayashi, T. Mori, S. Hori, K. Kohno and M. Kuwano (Japan) 23

Chronic elevation of S100β protein does not alter APP mRNA expression or promote β-amyloid deposition in the brains of aging transgenic mice
J. Yao, C. Kitt and R.H. Reeves (USA) 32

Chemical traumatization of adult mouse olfactory epithelium in situ stimulates growth and differentiation of olfactory neurons in vitro
J.S. Sosnowski, M. Gupta, K.H. Reid and F.J. Roisen (USA) 37

Inhibition of shivering thermogenesis by centrally applied glucagon in muscovy ducklings
A. Montaron, J.L. Rouanet and H. Barré (France) 49

Differential effects of enterostatin, galanin and opioids on high-fat diet consumption
C. Barton, L. Lin, D.A. York and G.A. Bray (USA) 55

Selective degeneration of inhibitory interneurons in the rat spinal cord induced by intrathecal infusion of acromelic acid
S. Kwak and R. Nakamura (Japan) 61

Enhancement of NMDA-induced increases in levels of endogenous adenosine by adenosine deaminase and adenosine transport inhibition in rat striatum
S.M. Delaney and J.D. Geiger (Canada) 72

Post-activation potentiation in the neocortex. III. Kindling-induced potentiation in the chronic preparation
R.J. Racine, C.A. Chapman, G.C. Teskey and N.W. Milgram (Canada) 77

Post-activation potentiation in the neocortex. IV. Multiple sessions required for induction of long-term potentiation in the chronic preparation
R.J. Racine, C.A. Chapman, C. Trepel, G.C. Teskey and N.W. Milgram (Canada) 87

Isozyme specific changes in the expression of protein kinase C isozyme (α–ζ) genes in the hippocampus of rats induced by kindling epileptogenesis
W. Kamphuis, E. Hendriksen and F.H. Lopes da Silva (The Netherlands) 94

Infusion of NMDA antagonists into the nucleus reticularis pontis oralis inhibits the maximal electroshock seizure response
S.L. Peterson (USA) 101

Dependence of rat vertex auditory evoked potentials on central muscarinic receptor activation
K.A. Campbell, C.E. Kalmbacher, C.D. Specht and T.R. Gregg (USA) 110

Opposing effects of morphine and the neurotrophins, NT-3, NT-4, and BDNF, on locus coeruleus neurons in vitro
L. Sklair-Tavron and E.J. Nestler (USA) 117

Effects of $GABA_B$ receptor antagonists on two models of focal epileptogenesis
S. Brailowsky, T. Montiel, S. Meneses and G. Di Scala (México, France) 126

Reduction in firing rate of substantia nigra pars reticulata neurons by valproate: influence of different types of anesthesia in rats
W. Löscher, A. Rohlfs and C. Rundfeldt (Germany) 133

Combined postischemic hypothermia and delayed MK-801 treatment attenuates neurobehavioral deficits associated with transient global ischemia in rats
E.J. Green, A.J. Pazos, W.D. Dietrich, P.M. McCabe, N. Schneiderman, B. Lin, R. Busto, M.Y.-T. Globus and M.D. Ginsberg (USA) 145

Expression of non-angiotensin II [^{125}I]CGP 42112 binding sites on activated microglia after kainic acid induced neurodegeneration
O. Jöhren, M. Viswanathan and J.M. Saavedra (USA) 153

Halothane effects on low-threshold receptive field size of rat spinal dorsal horn neurons appear to be independent of supraspinal modulatory systems
Y. Yamamori, K. Kishikawa and J.G. Collins (USA) 162

Elevated +-maze and hole-board exploration in lurcher mutant mice
C. Monnier and R. Lalonde (France, Canada) 169

Endogenous glucocorticoids down regulate central effects of interleukin-1β on body temperature and behaviour in mice
E. Goujon, P. Parnet, S. Cremona and R. Dantzer (France) 173

The effect of graded hypertonia on interstitial volume, tissue resistance and synaptic transmission in rat hippocampal tissue slices
R. Huang and G.G. Somjen (USA) 181

(contents continued on p. 296)

0006-8993(19951208)702:1/2;1-1

(contents continued)

In vitro study of afferent synaptic transmission in the rostral gustatory zone of the rat nucleus of the solitary tract
L. Wang and R.M. Bradley (USA) 188
Neuroprotective effects of lamotrigine in global ischemia in gerbils. A histological, in vivo microdialysis and behavioral study
A. Shuaib, R.H. Mahmood, T. Wishart, R. Kanthan, M.A. Murabit, S. Ijaz, H. Miyashita and W. Howlett (Canada) 199
κ-Opioid agonist U50488 inhibits P-type Ca^{2+} channels by two mechanisms
T. Kanemasa, K. Asakura and M. Ninomiya (Japan) 207
Electrophysiological properties and their modulation by norepinephrine in the ambiguus neurons of the guinea pig
Y. Nishimura, M. Muramatsu, T. Asahara, T. Tanaka and T. Yamamoto (Japan) 213
Cadmium exposure attenuates the initiation of behavioral sensitization to cocaine
J.R. Nation, C.L. Livermore and G.R. Bratton (USA) 223
Behavioral and neurobiological alterations induced by the immunotoxin 192-IgG-saporin: cholinergic and non-cholinergic effects following i.c.v. injection
T.J. Walsh, R.M. Kelly, K.D. Dougherty, R.W. Stackman, R.G. Wiley and C.L. Kutscher (USA) 233

Short communications

An NMDA receptor on isolated secretory nerve endings
D.R. Giovannucci and E.L. Stuenkel (USA) 246
Spinal and vagal influences on the responses of rat solitary nucleus neurons to stimulation of uterus, cervix and vagina
C.H. Hubscher and K.J. Berkley (USA) 251
Fenfluramine depletes serotonin from the developing cortex and alters thalamocortical organization
C.A. Bennett-Clarke, R.D. Lane and R.W. Rhoades (USA) 255
Repeated microdialysis perfusions: periprobe tissue reactions and BBB permeability
E.C.M. De Lange, M. Danhof, C. Zurcher, A.G. De Boer and D.D. Breimer (The Netherlands) 261
Post-ischemic administration of HU-211, a novel non-competitive NMDA antagonist, protects against blood–brain barrier disruption in photochemical cortical infarction in rats: a quantitative study
L. Belayev, R. Busto, B.D. Watson and M.D. Ginsberg (USA) 266
Movement-induced depression of soleus H reflexes is consistent in humans over the range of excitatory afferents involved
J.E. Misiaszek, J. Cheng and J.D. Brooke (Canada) 271
Amyloid β-protein ending at Thr43 is a minor component of some diffuse plaques in the Alzheimer's disease brain, but is not found in cerebrovascular amyloid
T. Iizuka, M. Shoji, Y. Harigaya, T. Kawarabayashi, M. Watanabe, M. Kanai and S. Hirai (Japan) 275
Neurotensin and neuromedin N brain levels after fornix transection: evidence for an efficient neurotensin precursor processing in subicular neurons
A. Nicot, J.-N. Bidard, P. Kitabgi, A.-M. Lhiaubet, Y. Masuo, M. Palkovits, W. Rostène and A. Bérod (France, Hungary) 279
Fenestrated capillaries in subarachnoid space in the caudal spinal cord of the premature rat: an electron microscopic observation
K. Fujimoto and M. Hisaichi (Japan) 284
Local projections of GABAergic neurons in the dentate gyrus and CA1 region in the rat hippocampal formation
K. Qiu and Z.-S. Han (People's Republic of China) 287

Author index 293